Notice of Allowability	Application No.	Applicant(s)
	10/660,796	NAGAO, SEIJI
	Examiner	Art Unit
	Aaron W. Carter	2624
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to papers filed on January 24, 2007.		
2. The allowed claim(s) is/are <u>1-6</u> .		
 3. Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	F Notice of Informat D	otent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Informal Pa6. ☐ Interview Summary	
_	Paper No /Mail Date	ė .
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. Examiner's Amendm	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
	9.	

DETAILED ACTION

1. This action is responsive to papers filed on January 24, 2007.

Response to Amendment

2. In response to applicant's amendment received on January 24, 2007, all requested changes to the specification and claims have been entered. Claim 7 has been cancelled.

Allowable Subject Matter

3. Claims 1-6 are allowed.

The following is an examiner's statement of reasons for allowance:

4. As to claims 1 and 6, none of the prior art teach or fairly suggest the limitations of a control unit that "receives an acquisition request for acquiring the image information regarding the image information, and the response information, which are associated with one another, from said terminal", in combination with the other limitations of claims. The prior art of USPN 5,504,674 to Chen et al. discloses an image data management system comprising a control unit that receives image information of a device having a damage and/or a problem and information regarding the image information, which are associated with each other, from said image photographing device, stores the received image information and information regarding the image information, which are associated with each other, in said storage unit, sends the image

Application/Control Number: 10/660,796

Art Unit: 2624

Page 3

information and the information regarding the image information, which are associated with each other and stored in said storage unit, to an analysis-use terminal device for conducting an analysis on a damage and/or a problem of a device, receives response information for responding to the sent image information and information regarding the image information from said analysis-use terminal device and stores the received response information in said storage unit in association with the image information and the information regarding the image information, which correspond to the response information, see column 14, line 40 – column 15, line 2. However, Chen et al. does not teach or fairly suggest receiving a an acquisition request for acquiring the image information regarding the image information, and the response information, which are associated with one another, from a terminal, as disclosed in the limitations of claims 1 and 6.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

US 2005/0222882 to Aoki et al. discloses an image and data management process.

Art Unit: 2624

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aaron W. Carter whose telephone number is (571) 272-7445. The examiner can normally be reached on 8am - 4:30 am (Mon. - Fri.).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bhavesh Mehta can be reached on (571) 272-7453. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AWC

BHAVESH M MEHTA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600